

BLANK PAGE



भारतीय मानक

खाँचेदार चपटे काउंटरसंक शीर्ष वाले पेंच (सामान्य शीर्ष शैली) — उत्पाद ग्रेड ए (चौथा पुनरीक्षण)

Indian Standard SLOTTED COUNTERSUNK FLAT HEAD SCREWS (COMMON HEAD STYLE) — PRODUCT GRADE A (Fourth Revision)

ICS 21,060,10

© BIS 2005

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Bolts, Nuts and Fasteners Accessories Sectional Committee, MGP 33

NATIONAL FOREWORD

This Indian Standard (Fourth Revision) which is identical with ISO 2009: 1994 'Slotted countersunk flat head screws (common head style) — Product grade A' issued by the International Organization for Standardization (ISO) was adopted by the Bureau of Indian Standards on the recommendations of the Bolts, Nuts and Fasteners Accessories Sectional Committee and approval of the Medical Instruments, General and Production Engineering Division Council.

The original version of this standard was published in 1962 and subsequently revised in 1966, 1968 and 1978. The earlier edition was based on ISO 2009 'Slotted countersunk (flat) head screws — Metric series' and DIN 963 'Slotted countersunk flat head series'. This fourth revision has been harmonized with ISO 2009: 1994 by adoption to make pace with the latest developments taken place at international level.

The text of ISO Standard has been approved as suitable for publication as an Indian Standard without deviations. Certain terminology and conventions are, however, not identical to those used in Indian Standards. Attention is drawn especially to the following:

- a) Wherever the words 'International Standard' appear, referring to this standard, they should be read as 'Indian Standard'.
- b) Comma (,) has been used as a decimal marker while in Indian Standards, the current practice is to use a point (.) as the decimal marker.

In this adopted standard, reference appears to certain International Standards for which Indian Standards also exist. The corresponding Indian Standards, which are to be substituted in their places, are listed below along with their degree of equivalence for the editions indicated:

International Standard	Corresponding Indian Standard	Degree of Equivalence		
ISO 225: 1983 Fasteners — Bolts, screws, studs and nuts — Symbols and designations of dimensions	IS 8536: 1987 Fasteners — Bolts, screws, studs and nuts — Symbols and designation of dimensions (first revision)	Identical		
ISO 261 : 1973 ¹⁾ ISO general purpose metric screw threads — General plan	IS 4218 (Part 2): 2001 ISO general purpose metric screws threads: Part 2 General plan (second revision)	Technically equivalent		
ISO 888: 1976 Bolts, screws and studs — Nominal lengths, and thread lengths for general purpose bolts	IS 4206: 1987 Dimensions for nominal lengths and thread lengths for bolts, screws and studs (first revision)	Identical		

i

¹⁾ Since revised in 1998.

100 2000 . 1004		
International Standard	Corresponding Indian Standard	Degree of Equivalence
ISO 898-1 : 1988 ¹⁾ Mechanical properties of fasteners — Part 1 : Bolts, screws and studs	IS 1367 (Part 3): 2002 Technical supply conditions for threaded steel fasteners: Part 3 Mechanical properties of fasteners made of carbon steel and alloy steel — Bolts, screws and studs (fourth revision)	Technically equivalent
ISO 965-2: 1980 ²⁾ ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose bolts and nuts threads — Medium quality	IS 14962 (Part 2): 2001 ISO general purpose metric screw threads — Tolerances: Part 2 Limits of sizes for general purpose external and internal screw threads — Medium quality	do
ISO 3269 : 1988 ³⁾ Fasteners — Acceptance inspection	IS 1367 (Part 17): 2005 Technical supply conditions for threaded steel fasteners: Part 17 Inspection, sampling and acceptance procedure (fourth revision)	do
ISO 3506: 1979 ⁴⁾ Corrosion-resistant stainless steel fasteners — Specifications	IS 1367 (Part 14/Sec 1): 2002 Technical supply conditions for threaded steel fasteners: Part 14 Mechanical properties of corrosion- resistant stainless-steel fasteners, Section 1 Bolts, screws and studs (third revision)	do .
	IS 1367 (Part 14/Sec 2): 2002 Technical supply conditions for threaded steel fasteners: Part 14 Mechanical properties of corrosion- resistant stainless-steel fasteners, Section 2 Nuts (third revision)	do,
	IS 1367 (Part 14/Sec 3): 2002 Technical supply conditions for threaded steel fasteners: Part 14 Mechanical properties of corrosion- resistant stainless-steel fasteners, Section 3 Set screws and similar fasteners not under tensile stress (third revision)	do
ISO 4042 : 1989 ¹⁾ Threaded components — Electroplated coatings	IS 1367 (Part 11): 2002 Technical supply conditions for threaded steel fasteners: Part 11 Electroplated coatings (third revision)	do

¹⁾ Since revised in 1999.

²⁾ Since revised in 1998.

 $^{^{3)}}$ Since revised in 2000 .

⁴⁾ Since revised in 1997 in three parts.

International Standard	Corresponding Indian Standard	Degree of Equivalence		
ISO 4759-1: 1978 ¹⁾ Tolerances for fasteners — Part 1: Bolts, screws and nuts with thread diameters between 1.6 (inclusive) and 150 mm (inclusive) and product grades A, B and C	IS 1367 (Part 2): 2002 Technical supply conditions for threaded steel fasteners: Part 2 Product grades and tolerances (third revision)	Technically equivalent		
ISO 6157-1: 1988 Fasteners — Surface discontinuities — Part 1: Bolts, screws and studs for general requirements	IS 1367 (Part 9/Sec 1): 1993 Technical supply conditions for threaded steel fasteners: Part 9 Surface discontinuities, Section 1 Bolts, screws and studs for general applications (third revision)	Identical		
ISO 7721 : 1983 Countersunk head screws — Head configuration and gauging	IS 11362: 1985 Head configuration and gauging of countersunk head screws	do		
ISO 8992:1986 Fasteners — General requirements for bolts, screws,	IS 1367 (Part 1) : 2002 Technical supply conditions for threaded steel	do		

The concerned Technical Committee has reviewed the provisions of the following International Standard referred in this adopted standard and has decided that the same is acceptable for use in conjunction with this standard:

studs (third revision)

fasteners:

International Standard

studs and nuts

Title

Part 1 General

requirements for bolts, screws and

ISO 8839 : 1986 Mechanical properties of fasteners — Bolts, screws, studs and nuts made of non-ferrous metals

As decided by the committee additional requirements of packaging and marking are given in National Annex A. These additional requirements are part of this standard.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2:1960 'Rules for rounding off numerical values (revised)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

¹⁾ Since revised in 2000.

Indian Standard

SLOTTED COUNTERSUNK FLAT HEAD SCREWS (COMMON HEAD STYLE) — PRODUCT GRADE A

(Fourth Revision)

1 Scope

This International Standard specifies the characteristics of slotted countersunk flat head screws of product grade A and with threads from M1,6 to M10 inclusive.

If, in special cases, specifications other than those listed in this International Standard are required, they should be selected from existing International Standards, for example ISO 261, ISO 888, ISO 898-1, ISO 965-2 and ISO 3506.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

- ISO 225:1983, Fasteners Bolts, screws, studs and nuts Symbols and designations of dimensions.
- ISO 261:1973, ISO general purpose metric screw threads General plan.
- ISO 888:1976, Bolts, screws and studs Nominal lengths, and thread lengths for general purpose bolts.
- ISO 898-1:1988, Mechanical properties of fasteners Part 1: Bolts, screws and studs.
- ISO 965-2:1980, ISO general purpose metric screw threads Tolerances Part 2: Limits of sizes for general purpose bolt and nut threads Medium quality.
- ISO 3269:1988, Fasteners Acceptance inspection.
- ISO 3506:1979, Corrosion-resistant stainless steel fasteners Specifications.
- ISO 4042:1989, Threaded components Electroplated coatings.
- ISO 4759-1:1978, Tolerances for fasteners Part 1: Bolts, screws and nuts with thread diameters between 1,6 (inclusive) and 150 mm (inclusive) and product grades A, B and C.
- ISO 6157-1:1988, Fasteners Surface discontinuities Part 1: Bolts, screws and studs for general requirements.
- ISO 7721:1983, Countersunk head screws Head configuration and gauging.

ISO 8839:1986, Mechanical properties of fasteners — Bolts, screws, studs and nuts made of non-ferrous metals.

ISO 8992:1986, Fasteners — General requirements for bolts, screws, studs and nuts.

3 Dimensions

See figure 1 and table 1.

The shank diameter is approximately equal to the pitch diameter or equal to the major thread diameter permissible.

NOTE 1 Symbols and designations of dimensions are specified in ISO 225.




Figure 1

Table 1

Dimensions in millimetres

Thread (d)			M1,6	M2	M2,5	Мз	(M3,5)1)	M4	M5	M6	M8	M10
P ²⁾		***	0,35	0,4	0,45	0,5	0,6	0,7	-0,8	1	1,25	1,5
а		max.	0,7	0,8	0,9	1	1,2	1,4	1,6	2	2,5	3
b		min.	25	25	25	.25	38	38	38	38	38	38
	theoretical	max.	3,6	4,4	5,5	6,3	8,2	9,4	10,4	12,6	17,3	20
$d_k^{(3)}$		nom. = max.	3,0	3,8	4,7	5,5	7,30	8,40	9,30	11,30	15,80	18,30
~	actual	min.	2,7	3,5	4,4	5,2	6,94	8,04	8,94	10,87	15,37	17,78
k ³⁾		nom. = max.	1	1,2	1,5	1,65	2,35	2,7	2,7	3,3	4,65	5
		nom.	0,4	0,5	0,6	0,8	1	1,2	1,2	1,6	2	2,5
n		max.	0,60	0,70	0,80	1,00	1,20	1,51	1,51	1,91	2,31	2,81
		min.	0,46	0,56	0,66	0,86	1,06	1,26	1,26	1,66	2,06	2,56
r		max.	0,4	0,5	0,6	0,8	0,9	1	1,3	1,5	2	2,5
		max.	0,50	0,6	0,75	0,85	1,2	1,3	1,4	1,6	2,3	2,6
t		min.	0,32	0,4	0,50	0,60	0,9	1,0	1,1	1,2	1,8	2,0
Х	· · · · · · · · · · · · · · · · · · ·	max.	0,9	1	1,1	1,25	1,5	1,75	2	2,5	3,2	3,8
nom.	[1),4) min.	max.	,	Approximat	e mass, in	kilograms	per 1 000 pie	eces ($\varrho = 7$	85 kg/dm³) (for inform	nation only)
2,5	2,3	2,7	0,053		<u> </u>	[
3	2,8	3,2	0,058	0,101				·				
4	3,76	4,24	0,069	0,119	0,206					1		
5	4,76	5,24	0,081	0,137	0,236	0,335		<u> </u>				
6	5,76	6,24	0,093	0,152	0,266	0,379	0,633	0,903				
8	7,71	8,29	0,116	0,193	0,326	0,467	0,753	1,06	1,48	2,38		
10	9,71	10,29	0,139	0,231	0,386	0,555	0,873	1,22	1,72	2,73	5,68	
12	11,65	12,35	0,162	0,268	0,446	0,643	0,993	1,37	1,96	3,08	6,32	9,54
(14)	13,65	14,35	0,185	0,306	0,507	0,731	1,11	1,53	2,2	3,43	6,96	10,6
16	15,65	16,35	0,208	0,343	0,567	0,82	1,23	1,68	2,44	3,78	7,6	11,6
20	19,58	20,42		0,417	0,687	0,996	1,47	2	2,92	4,48	8,88	13,6
25	24,58	25,42	1		0,838	1,22	1,77	2,39	3,52	5,36	10,5	16,1
30	29,58	30,42				1,44	2,07	2,78	4,12	6,23	12,1	18,7
35	34,5	35,5					2,37	3,17	4,72	7,11	13,7	21,2
40	39,5	40,5		ļ			i	3,56	5,32	7,98	15,3	23,7
45	44,5	45,5	1				1		5,92	8,86	16,9	26,2
50	49,5	50,5				1		† 	6,52	9,73	18,5	28,8
(55)	54,05	55,95								10,6	20,1	31,3
60	59,05	60,95								11,5	21,7	33,8
(65)	64,05	65,95		1	1						23,3	36,3
70	69,05	70,95				1		1		†	24,9	38,9
(75)	74,05	75,95						1	1		26,5	41,4
80	79,05	80,95	1	1	1		1	1		1	28,1	43,9

 ${\tt NOTE-Commercial\ lengths\ are\ those\ between\ the\ stepped,\ continuous,\ bold\ lines.}$

¹⁾ Sizes in parentheses should be avoided if possible.

²⁾ P = pitch of the thread.

³⁾ See ISO 7721.

⁴⁾ Screws with nominal lengths above the bold dotted line are threaded up to the head; b = l - (k + a).

4 Specifications and reference International Standards

See table 2.

Table 2

Material		Steel	Stainless steel	Non-ferrous metal		
General requirements		ISO 8992				
Thread	Tolerance	6g				
Tinesa	International Standards	ISO 261, ISO 965-2				
Mechanical properties	Property class	4.8, 5.8	A2-50, A2-70			
mechanical properties	International Standards	ISO 898-1	ISO 3506	ISO 8839		
Tolerances	Product grade	A				
1 Oldi alices	International Standard	ISO 4759-1				
Finish	Plain Requirements for electroplating are covered in ISO 4042. If different electroplating requirements are desired or if requirements are needed for other finishes, they shall be agreed between customer and supplier.					
Accentability	Limits for surface discontinuities are covered in ISO 6157-1.					
Acceptability	Acceptance procedure is covered in ISO 3269.					

5 Designation

Example of designation: A slotted countersunk flat head screw with thread M5, nominal length l = 20 mm and property class 4.8 is designated as follows:

Countersunk flat head screw ISO 2009 - M5 \times 20 - 4.8

NATIONAL ANNEX A

(National Foreword)

A-1 PACKAGING

The packaging of slotted countersunk flat head screws shall be in accordance with IS 1367 (Part 18): 1996 'Industrial fasteners — Threaded steel fasteners — Technical supply conditions: Part 18 Packaging (third revision)'.

A-2 BIS CERTIFICATION MARKING

Details available with the Bureau of Indian Standards.

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc: No. MGP/BP 33 (0402).

Amendments Issued Since Publication Amend No. Date of Issue Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

Telephones: 2323 0131, 2323 3375, 2323 9402 Website: www.bis.org.in

Regional Offices :		Telephones
--------------------	--	------------

Central: Manak Bhavan, 9 Bahadur Shah Zafar Marg \$\int 2323 7617\$
NEW DELHI 110 002 \$\int 2323 3841\$

Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Kankurgachi ∫ 2337 8499, 2337 8561

KOLKATA 700 054 \\ \(\)2337 8626, 2337 9120

260 9285

Western : Manakalaya, E9 MIDC, Marol, Andheri (East) ∫2832 9295, 2832 7858

MUMBAI 400 093 \quad \tag{2832 7891, 2832 7892}

Branches: AHMEDABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR.

LUCKNOW, NAGPUR, NALAGARH, PATNA, PUNE, RAJKOT, THIRUVANANTHAPURAM.

VISAKHAPATNAM.