

X

इंटरनेट

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

"जानने का अधिकार, जीने का अधिकार" Mazdoor Kisan Shakti Sangathan "The Right to Information, The Right to Live"

"पुराने को छोड नये के तरफ" Jawaharlal Nehru "Step Out From the Old to the New"

मानक

IS 5200 (1998): Bolt Clippers [PGD 5: Assembly Hand Tools]





51111111

Made Available By Public, Resource, Org



"ज्ञान से एक नये भारत का निर्माण" Satyanarayan Gangaram Pitroda "Invent a New India Using Knowledge"

"ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता Bhartrhari-Nītiśatakam "Knowledge is such a treasure which cannot be stolen"





BLANK PAGE



PROTECTED BY COPYRIGHT

भारतीय मानक काबला छीलक — विशिष्टि *(पहला पुनरीक्षण)*

Indian Standard BOLT CLIPPERS — SPECIFICATION (First Revision)

ICS 21.060.10; 25.100.99

© BIS 1998

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

August 1998

Price Group 2

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Assembly Hand Tools Sectional Committee had been approved by the Production Engineering Division Council.

This standard was first published in 1969. This revision has been taken up to bring this standard in line with the International practices and to incorporate functional improvements which have taken place in latest versions of the product.

In this revision, the Type 'B' has been deleted since the other Type 'A' is considered more effective, efficient and easy to handle the product and universally acceptable.

While revising this standard assistance has been derived from the following documents:

- a) TGL 4387-1966 Straight cut bolt clippers (Standards Body of German Democratic Republic).
- b) Drg No. IND/GS/314(b) Clippers, bolt, Chief Inspectorate of General Stores (Ministry of Defence), Kanpur.
- c) JIS B-4643-1984 Bolt clippers (Japanese Industrial Standards Committee).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2:1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard BOLT CLIPPERS — SPECIFICATION (First Revision)

1 SCOPE

This standard covers the dimensions and other requirements of bolt clippers.

2 REFERENCES

The following standards contain provisions which through reference in this text, constitute provision of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

IS No.	Title
1161 : 1979	Steel tube for stuctural purposes (third revision)
1570 : 1961	Schedules for wrought steels for general engineering purposes
1875 : 1992	Carbon steel billets, blooms, slabs and bars for forgings (<i>fifth revision</i>)
2500 (Part1) : 1992	Sampling inspection procedures: Part 1 Attribute sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection (second revision)
3748 : 1990	Tool and die steels (second revision)

3 MATERIAL

3.1 The bolt clippers shall be manufactured from any suitable material so as to fulfil the requirements laid down in 4.1 and 8.1.

3.1.1 One of the suitable material for the manufacture of component parts of the bolt clippers is given below:

Part		Material	
a)	Cutting Jaws	T40 Ni6 Cr4 Mo3 of IS 3748	
b)	Tubular Handle	MS Tube ERW/Seamless of suitable diameter for each size of IS 1161	
c)	Joint piece of Bolt Clippers (drop forged)	45C8 of IS 1875	

d) Grip (die-moulded) Rubber (synthetic)

4 HARDNESS

The hardness near cutting jaws of bolt clippers shall be maintained within the range of 660 to 750 HV (58 to 62 HRC).

5 DIMENSIONS

The main dimensions of bolt clippers shall be as given in Table 1.

6 MANUFACTURE, WORKMANSHIP AND FINISH

6.1 The bolts and nuts used in the assembly of bolt clippers shall be hexagon type. Each bolt shall be firmly secured and the blades shall open smoothly and evenly. Handle of the bolt clippers, shall be shrunk into the joint piece or jointed strongly by other means to the tubular handles. The fish plate may be machined to a good finish.

6.2 The jaws shall be drop-forged and free from cracks, burrs, scales, etc, and shall be finished true, smooth and bright. The cutting edges shall be suitably hardened and tempered and shall be ground to have sharp edges. The joint piece is so designed as to enable adjustment of gap between blades to carry out specific jobs and resetting of cutting edges after sharpening as and when necessary.

6.3 The bolt clippers shall be free from flaws; such as cracks burrs, rust and other defects and shall work without any undue play or friction.

6.4 All the component parts except the cutting edges may be painted with anti-corrosive paint. The cutting edges shall be bright finished and lacquered.

7 SAMPLING

Suitable sampling plan as per IS 2500 (Part 1) may be selected as agreed between buyer and seller.

8 TESTS

8.1 Cutting Test

The bolt clipper shall cut a test bar having a hardness value of 125 HV to 160 HV and of diameter as indicated in Table 2. The load shall be applied at a point 100 mm from the end of the handle. At the end of the test, there shall be no visible signs of cuts or dents on the cutting jaws of the bolt clippers.

IS 5200 : 1998

8.2 The bolt clippers shall be examined for dimensions, manufacture, workmanship and finish. Any bolt clipper failing to meet the requirements for anyone or more of the characteristics shall be considered defective.

9 DESIGNATION

9.1 The bolt clippers shall be designated by:

- a) commonly used name;
- b) nominal size; and
- c) number of this standard.

Example

A bolt clipper of normal size 600 mm shall be designated as:

Bolt Clipper IS 5200 - 600

10 PACKING

10.1 The bolt clippers shall be suitably packed in accordance with the best prevalent trade practices.

11 MARKING

11.1 The bolt clippers shall be marked with manufacturer's name trade-mark, nominal size in mm.

11.2 BIS Certification Marking

Each bolt clipper may also be marked with the Standard Mark.

11.2.1 The use of the Standard Mark is governed by the provision of *Bureau of Indian Standards Act*, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.





Nominal Size of Bolt Cliper mm	Diameter of Test Bar mm	Cutting Load, Max kgf
300	.4	15
350	5	25
450	6	35
600	8	50
750	10	70
900	13	100
1 050	16	150
		•

Table 2 Diameter of Test Bars (Clause 8.1)

3

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publication), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Handbook' and 'Standards Monthly Additions'.

This Indian Standard has been developed from Doc: No. PE 05 (0122).

Amendments Issued Since Publication

Amond No	Date of Issue	Text Affected
· · · · · · · · · · · · · · · · · · ·		
	BUREAU OF INDIAN STANDARDS	
Headquarter	rs:	
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002 Telephones: 323 01 31, 323 33 75, 323 94 02		Telegrams: Manaksanstha (Common to all offices)
Regional Of	fices:	Telephone
Central :	Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	323 76 17, 323 38 41
Eastern :	1/14 C.I.T. Scheme VII M, V.I.P. Road, Maniktola CALCUTTA 700054	{337 84 99, 337 85 61 337 86 26, 337 91 20
Northern :	SCO 335-336, Sector 34-A, CHANDIGARH 160022	$\begin{cases} 60 & 38 & 43 \\ 60 & 20 & 25 \end{cases}$
Southern :	C.I.T. Campus, IV Cross Road, CHENNAI 600113	{235 02 16, 235 04 42 235 15 19, 235 23 15
Western :	Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	{832 92 95, 832 78 58 832 78 91, 832 78 92
Branches :	AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. PATNA. PUNE. THIRUVANANTHAPURAM.	

Printed at Dee Kay Printers, New Delhi, India