

BLANK PAGE



AMENDMENT NO. 1 MARCH 1979

TO

IS: 5373-1969 SPECIFICATION FOR SQUARE WASHERS FOR WOOD FASTENINGS

Alteration

(Pare 1, clause 5) - Substitute the following for the existing clause:

5. Other Requirements — Other requirements for square washers not covered in this standard shall conform to those specified for ordinary washers according to IS: 5369-1975 'General requirements for plain washers and lockwashers (first revision)'.

Addendum

| Page 1, clause 2, informal table, 'Nominal Siz 23') — Add the following new entries after 'Nominal Size 23' under respective columns.

Nominal Size	a		For Boll Size
24	70	6	M22


(EDC 27)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR SQUARE WASHERS FOR WOOD FASTENINGS

- 1. Scope The requirements for square washers intended for use in wood fastenings with bolts in the diameter range 10 to 52 mm.
- 2. Dimensions



All dimensions in millimetres,

Nominal Size	a	s	for Bolt Size
11.5	30	3	M10
14	40	4	MIZ
61	50	5	M16
23 27	60	5	M20
27	80	6	M24
(30)	90	a6	(M27)
33	95	6	M30
(36)	100	6	(EEM)
39	110	8	M36
(42)	125	8	(M39)
(42) 45	135	8 8 8	M42
48	140	8	M45
52	150	- 0	M48
56	160	10	M 52

Note - Sizes in brackets are of second preference.

- 3. Material The square washers shall be made from mild steel, such as C20 conforming to IS: 1570-1961* or low carbon steel or any other material specified by the purchaser.
- 4. Designation The square washers for wood fastenings shall be designated by the nominal size and the number of this standard.

Example:

A square washer for wood fastenings having a nominal size of 18 mm shall be designated as: Square Washer 18 IS: 5373.

5. Other Requirements — Other requirements for square washers not covered in this standard shall conform to IS: 5369-1969†.

*Schedules for wrought steels for general engineering purposes. †General requirements for plain washers and lock washers.

This standard is based on DIN 436-1943.

Adopted 29 September 1969

© January 1970, BIS

Gr 1