

BLANK PAGE



Indian Standard

METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART XXII MATERIALS

(First Reprint MARCH 1987)

UDC 69.003.12:691



© Copyright 1982

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART XXII MATERIALS

Civil Works Measurement Sectional Committee, BDC 44

Chairman

Representing

*SHRI P. N. GADI

Institution of Surveyors, New Delhi

Members

SHRI P. L. BHASIN (Alternate to Shri P. N. Gadi)

Public Works Department, Lucknow

ADHISHASI

ABAYANTA (PARSHIKHAN)

DEPUTY DIRECTOR (GAWESHAN) (Alternate)

SHRI K. D. ARCOT

SHRI T. V. SITARAM (Alternate)

SHRIS. K. CHARRABORTY DIRECTOR, IRI, ROORKEE

DIRECTOR (RATES AND COSTS) DEPUTY DIRECTOR (RATES AND COSTS) (Alternate)

SHRI HARI RAO, P. S.

SHRIN. M. DASTANE (Alternate)

SHRI M. L. JAIN

IOINT DIRECTOR (D) SHRI A. K. LAL (Alternate)

SHRI H. K. KHOSLA SUPERINTENDING ENGINEER

(CDO) (Alternate) SHRI S. K. LAHA

SHRI V. D. LONDHE

SHRI N. C. DUGGAL (Alternate)

SHRI K. K. MADHOK SHRI DATTA S. MALIK

PROF M. K. GODBOLE (Alternate)

Engineers India Ltd, New Delhi

Calcutta Port Trust, Calcutta Irrigation Department, Government of Uttar Pradesh, Lucknow

Central Water Commission, New Delhi

Hindustan Construction Co Ltd, Bombay

National Industrial Development Corporation Ltd, New Delhi

National Buildings Organization, New Delhi

Haryana Irrigation Department, Chandigarh

Institution of Engineers (India), Calcutta Concrete Association of India, Bombay

Builders' Association of India, Bombay Indian Institute of Architects, Bombay

(Continued on page 2)

© Copyright 1982

INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

^{*}Acted as chairman for the meeting in which the standard was finalized.

IS: 1200 (Part XXII) - 1982

(Continued from page 1)

Members

Representing

SHRI R. S. MURTHY

SHRI H. D. MATANGE (Alternate)

SHRI B. S. MATHUR

Gammon India Ltd, Bombay

Ministry of Shipping and Transport (Roads Wing)

SHRI A. D. NARAIN (Alternate)

SHRI C. B. PATEL

SHRI B. C. PATEL (Alternate)

SHRI V. G. PATWARDHAN

SHRI G. G. KARMARKAR (Alternate) SHRI T. S. RATNAM

DR R. B. SINGH

SHRI R. A. SUBRAMANIAM

Works (Avi)

SURVEYOR OF WORKS I (AVI) (Alternate)

SHRI K. J. TARAPOREWALLA SHRI J. C. VERMA

SHRI R. M. JOLLY (Alternate) SHRI G. RAMAN, Director (Civ Engg)

M. N. Dastur & Co Ltd, Calcutta

Engineer-in-Chief's Branch (Ministry of Defence)

Bureau of Public Enterprises, New Delhi

Banaras Hindu University, Banaras Hindustan Steel Works Construction Ltd, Calcutta SUPERINTENDING SURVEYOR OF Central Public Works Department, New Delhi

Bombay Port Trust, Bombay

Bhakra Management Board, Irrigation Wing, Nangal Township

Director General, ISI (Ex-officio Member)

Secretary

SHRI K. M. MATHUR Deputy Director (Civ Engg), ISI

Indian Standard

METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART XXII MATERIALS

0. FOREWORD

- 0.1 This Indian Standard (Part XXII) was adopted by the Indian Standards Institution on 20 April 1982, after the draft finalized by the Civil Works Measurement Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 Measurement occupies a very important place in the planning and execution of any civil engineering work, from the time of first estimates to final completion and settlement of payments. Methods being followed for measurement are not uniform, and considerable differences exist between the practices followed by different construction agencies and also between various Central and State Government Departments. While it is recognized that each system of measurement has to be specifically related to administrative and financial organization with departments responsible for the work, a unification of the various systems at the technical level has been accepted as very desirable, specially as it permits a wider circle of operation for civil engineering contractors and eliminates ambiguities and misunderstandings arising out of inadequate understanding of various systems followed.
- 0.3 The practice for the method of measurement of supply of materials like sand, boulders, aggregates, etc varies considerably from one place to another with the result that a lot of practical difficulties arise in supply of such items. It has, therefore, been felt that methods of measurement of supply of such materials, as are generally taken from time to time for buildings and civil engineering works in substantial quantities, should be formulated. This part covers measurements of such materials.
- 0.4 In reporting the result of a measurement in accordance with this standard, if the final value observed or calculated is to be rounded off, it shall be done in accordance with IS: 2-1960*.

^{*}Rules for rounding off numerical values (revised).

IS: 1200 (Part XXII) - 1982

1. SCOPE

1.1 This standard (Part XXII) covers the method of measurement of materials normally used in buildings and civil engineering works.

2. GENERAL

- 2.1 Description of Item Description of each item shall, unless otherwise stated, include, wherever necessary, conveyance and delivery, handling, unloading, storing, etc.
- 2.2 Limits of Measurement Dimensions shall be measured net in decimal system to the nearest 0 01 m, area to nearest 0 01 m³, volume to nearest 0 01 m³, weight to nearest 1 kg, unless otherwise stated (see also relevant Indian Standard).
- 2.3 Bills of Quantities Bills of quantities shall fully describe materials.

3. METHOD OF MEASUREMENT OF MATERIALS

3.1 Various types of materials shall be measured as mentioned in Table 1.

TABLE 1 MEASUREMENT OF MATERIALS

NAME OF MATERIAL

How MEASURED

Aggregates

Brick/stone of 40 mm nominal size and above

Brick/stone aggregates of less than 40 mm size cinder, sand, moorum, fly ash, pozzolana, stone, stone dust

Aluminium Flats

Aluminium Strip and Edging

Asbestos Cement Products

Barge boards

Ridge

Gutters

Roof lights, north light curves

Sheets

Ventilators, eaves fillers, apron pieces, louvers, cowls, ridge finials, septic tanks In m³ after making a deduction of 7.5 percent from stack measurements and as per type

In m³ of gross stack measurements according to nominal size and type

In kg, stating size

In running metre stating size

Enumerated, stating size

In pairs, according to size and type

Enumerated, stating size, type and length

Enumerated, stating size and type

Enumerated stating type, size and length

Enumerated and described

(Continued)

TABLE 1 MEASUREMENT OF MATERIALS - Contd.

NAME OF MATERIAL

HOW MEASURED

In m2, stating type, grade and width

By weight, in kg, stating grade and type

Bitumen Products

Bitumen felt

Bitumen hot sealing compound

Bitumen road tar

Joint filler (sealing compound)

Boards

Plywood, etc

Bricks Brick Tiles

Blocks (Building, Clay, Coment. Stone, etc)

Cement/Lime Pozzolana Mixture

Distemper

Doors | Windows | Ventilator Frames

Doors | Windows | Ventilators (Excluding Fittings

and Finishes)

Fibre Glass Felt

Filler Fibrous Non fibrous

Fittings for Doors and Windows

Galvanized Steel Barbed Wire

Galvanized Steel Sheets (Corrugated Plain)

Glass Sheets (Plain|Pin Head|Frosted|Wired|

Splinter proof)

Glass Strips

Jali Cement-Concrete Clay

Lead for Caulking

Lime

Marble Chips

Marble Dust

Marble Pieces

In m², stating type and thickness

Enumerated, stating class and size

Enumerated stating size, type and grade if any

In kg, stating type-

In tonnes, stating type

In kg

In kg

In linear metres and described (outside

dimensions measured)

In m2 and described

In m² stating thickness and grade

In m² and described

Enumerated

In kg, stating type and size

In quintals or enumerated, stating type

and size

In m2, stating type, thickness and size

In running metres, stating thickness and

width

In m2, stating thickness and type

In kg

In kg, stating class

In quintal, stating size and described

In kg

In kg, stating colour

(Continued)

TABLE 1 MEASUREMENT OF MATERIALS - Contd

NAME OF MATERIAL

Marble Slab

Metal Beading

Paints, Emulsions and Thinners

Paint (Stiff) and Pigment

Pipes and Accessories

Pipe fittings

Pipes (except mild steel)

Precast Units for Flooring

Rope Manila

Rubber Rings for Pipes

Steel

Mild steel sheets

Mild steel expanded metal Wire fabric/chain fabric

Hoop iron/bolts/rivets/bars/structural sections/rails/mild steel pipes

Stone

Boundary stone/kilometre stone

Kerb stone
Floor stone slabs

Soling stone, boulders, rubble

Sanitary Fittings

Cisterns / clamps / cocks / ferrules/footrests / gratings / hydrants /traps/bath tubs/urinals /valves/wash basins/WG pans/showers/towel rails/bidets

Tiles

Timber

Blocks/baulks

Ballies

How MEASURED

In m2, stating thickness and type

In running metres, stating type and size

In litres, stating type and class

In kg, stating type and class

Enumerated and described

In running metres and described

Enumerated and described

In kg and described

Enumerated and described

In tonnes, stating size and thickness

In m² and described In m² and described

In kg or tonnes and described

Enumerated, stating size and type

Enumerated, stating size

In m2 and described

In m³, after making a deduction of 15 percent from gross stack measurements, stating nominal size and type

Enumerated and described

Enumerated, stating type and size

Enumerated, stating type and size

Enumerated, specifying diameter and described (diameter shall be measured at 1.5 m from the thick end)

(Continued)

TABLE 1 MEASUREMENT OF MATERIALS — Contd

NAME OF MATERIALS

Bamboos

Scantlings/planks/battens

Tiles (Other than sanitary)

Wall Tiles | False Ceiling Tiles | Roofing Tiles

Water Proofing Compound

Water Proofing Paste | Emulsion | Liquid

Wire

Wire Rope

How MEASURED

Enumerated and described

In m³, stating size and type

In m2, stating size and type

Enumerated, stating type and size

In kg

In litres

In kg and described

In running metre and described



INDIAN STANDARDS INSTITUTION

Hea		

Headquarters:	
Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 1	10002
Telephones: 3 31 01 31, 3 31 13 75 Telegrams: Ma	anaksanstha
(Common to a	
Regional Offices:	Telephone
*Western ; Manakalaya, E9 MIDC, Marol, Andheri (East). BOMBAY 400093	
†Eastern: 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054	36 24 99
Northern: SCO 445-446, Sector 35-C CHANDIGARH 160036	{2 18 43 3 16 41
Southern: C. I. T. Campus, MADRAS 600113	\$\begin{cases} 41 24 42 \\ 41 25 19 \end{cases}
	41 29 16
Branch Offices :	
Pushpak, Nurmohamed Shaikh Marg, Khanpur,	f 2 63 48
AHMADABAD 380001	{2 63 48 2 63 49
'F' Block, Unity Bldg, Narasimharaja Square, RANGALORE 560002	22 48 05
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar BHOPAL 462003	, 6 27 16
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
53/5 Ward No. 29, R. G. Barua Road, 5th Byelane, GUWAHATI 781003	_
6-8-56C L. N. Gupta Marg, (Nampally Station Road), HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	\{ 6 34 71 \\ 6 98 32
117/418B Sarvodaya Nagar, KANPUR 208005	{21 68 76 21 82 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bldg (2nd Floor), Rly Station Road, TRIVANDRUM 695001	52 27
Inspection Office (With Sale Point):	
Institution of Engineers (India) Building, 1332 Shivaji Na PUNE 410005	gar, 5 24 35
*Sales Office in Bombay is at Novelty Chambers, Grant Road,	89 65 28

Bombay 400007 †Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep 27 58 00

Street, Calcutta 700072