

BLANK PAGE



भारतीय मानक

शल्यकं उपकरण — एडसन नमूने की रक्तस्तम्भक चिमटियाँ — आकृति एवं आयाम

(पहला पुनरीक्षण)

Indian Standard

SURGICAL INSTRUMENTS — HAEMOSTATIC FORCEPS, ADSON'S PATTERN — SHAPE AND DIMENSIONS

(First Revision)

UDC 615·472·4

BIS 1992

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Surgical Instruments Sectional Committee had been approved by the Medical Equipment and Hospital Planning Division Council.

This standard was first published in 1986. It has been revised so as to retain the requirements in respect of shape and dimensions only, as the common specification aspects for these types of forceps are covered in IS 3642 (Part 1): 1990 'Surgical Instruments — Specification: Part 1 Noncutting, articulated instruments (second revision)' which would serve as a horizontal standard for these forceps. Accordingly, this standard takes the form of a vertical standard and is intended to be used in conjunction with IS 3642 (Part 1): 1990.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2: 1960 'Rules for rounding off numerical values (revised).' The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

SURGICAL INSTRUMENTS — HAEMOSTATIC FORCEPS, ADSON'S PATTERN — SHAPE AND DIMENSIONS

(First Revision)

1 SCOPE

1.1 This Indian Standard specifies the shape and dimensions for Adson's pattern haemostatic forceps used in general surgery.

2 REFERENCES

2.1 The Indian Standard IS 3642 (Part 1): 1990 'Surgical Instruments — Specification: Part 1 Non-cutting, articulated instruments (second revision)' forms a necessary adjunct to this standard.

3 SHAPE AND DIMENSIONS

3.1 The shape and dimensions of the Adson's pattern haemostatic forceps shall be as shown in Fig. 1. The forceps may have straight jaws as ordered by the purchaser.

3.2 Joint

The joint of the forceps shall be either box type

or screw recessed type and shall conform to 13.2.2 of IS 3642 (Part 1): 1990.

3.3 Serrations


The serrations shall be transverse type, conforming to Section 2 of IS 3642 (Part 1): 1990.

3.4 Ratchet Teeth

- 3.4.1 The Ratchet teeth shall be of combination 3 in 3 or 3 in 4 and shall conform to the requirements of Section 4 of IS 3642 (Part 1): 1990.
- 3.4.2 The load required to close the forceps at the first ratchet engagement [see 14.2 of IS 3642 (Part 1): 1990] shall be from 7 N to 12 N.

3.5 Finger Loops

The finger loops shall conform to Size No. 2, Section 6 of IS 3642 (Part 1): 1990.



All dimensions in millimetres.

Fig. 1 Forceps, Haemostatic, Adson's Pattern

Standard Mark

The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The Standard Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well defined system of inspection, testing and quality control which is devised and supervised by BIS and operated by the producer. Standard marked products are also continuously checked by BIS for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

Bureau of Indian Standards

BIS is a statutory institution established under the Bureau of Indian Standards Act, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Revision of Indian Standards

Indian Standards are reviewed periodically and revised, when necessary and amendments, if any, are issued from time to time. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition. Comments on this Indian Standard may be sent to BIS giving the following reference:

Doc: No. MHD 1 (2398)

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected
	· In the second	
	BUREAU OF INDIAN STANDARDS	S
Headquarters:		
Manak Bhavan, 9 B Telephones: 331 01	Bahadur Shah Zafar Marg, New Delhi 110002 31, 331 13 75	Telegrams: Manaksanstha (Common to all Offices)
Regional Offices:		Telephone
	avan, 9 Bahadur Shah Zafar Marg LHI 110002	\begin{cases} 331 01 31 \\ 331 13 75 \end{cases}
Eastern: 1/14 C. I. CALCUTT	T. Scheme VII M, V. I. P. Road, Maniktola FA 700054	\$37 84 99, 37 85 61, 37 86 26, 37 86 62
Northern: SCO 445-	-446, Sector 35-C, CHANDIGARH 160036	5 3 38 43, 53 16 40, 53 23 84
Southern: C. I. T. C	Campus, IV Cross Road, MADRAS 600113	\$235 02 16, 235 04 42, 235 15 19, 235 23 15
Western: Manakal BOMBA	laya, E9 MIDC, Marol, Andheri (East) Y 400093	632 92 95, 632 78 58, 632 78 91, 632 78 92

Branches: AHMADABAD, BANGALORE, BHOPAL, BHUBANESHWAR, COIMBATORE, FARIDABAD, GHAZIABAD, GUWAHATI, HYDERABAD, JAIPUR, KANPUR,

LUCKNOW, PATNA, THIRUVANANTHAPURAM.