Incorporation by Reference

- (b) Air Transport Association of America, 1301 Pennsylvania Avenue NW, Washington, DC 20004-1707.
- (1) ATA Specification No. 300 Packaging of Airline Supplies, Revision 19, July 31, 1996, into §172.102.
- (2) [Reserved]
- (c) The Aluminum Association, 1525 Wilson Blvd., Suite 6000, Arlington, VA 22209, telephone 703-358-2960, http://www.aluminum.org.
- (1) Aluminum Standards and Data, Seventh Edition, June 1982, into §§172.102; 178.65.
- (2) Welding Aluminum: Theory and Practice, 2002 Fourth Edition, into §178.68.
- (d) American National Standards Institute, Inc., 25 West 43rd Street, 4th Floor, New York, NY 10036.
- (1) ANSI/ASHRAE 15-94. Safety Code for Mechanical Refrigeration, 1944, into §§173.306: 173.307.
- (2) ANSI N14.1 Uranium Hexafluoride—Packaging for Transport, 1971 Edition, into §§173.417; 173.420.
- (3) ANSI N14.1 Uranium Hexafluoride Packaging for Transport, 1982 Edition, into §§173.417; 173.420.
- (4) ANSI N14.1 Uranium Hexafluoride Packaging for Transport, 1987 Edition, into §§173.417; 173.420.
- (5) ANSI N14.1 Uranium Hexafluoride—Packaging for Transport, 1990 Edition, into §§173.417; 173.420.
- (6) ANSI N14.1 Uranium Hexafluoride—Packaging for Transport, 1995 Edition, into §§173.417; 173.420.
- (72) ANSI N14.1 Uranium Hexafluoride—Packaging for Transport, 2012 Edition, into §§173.417; 173.420. [Reserved]
- (e) American Society of Heating, Refrigerating, and Air-Conditioning Engineers, 1971 Tullie Circle, N.E., Atlanta, GA 30329, (404) 636-8400, http://www.ashrae.org.
- (1) ANSI/ASHRAE STD 15 & 34-15, Safety Code for Mechanical Refrigeration Safety Standard for Refrigeration Systems, 2015, into §§173.306; 173.307.
- (2) [Reserved]
- (ef) American Petroleum Institute, 1220 L Street NW., Washington, DC 20005-4070.
- (1) API **RP 1604** Closures of Underground Petroleum Storage Tanks, 3rd Edition, March 1996, **Revised 2010**, into §172.102.
- (2) [Reserved]
- (fg) American Pyrotechnics Association (APA), P.O. Box 30438, Bethesda, MD 20824, (301) 907-8181, www.americanpyro.com.
- (1) APA Standard 87-1, Standard for Construction and Approval for Transportation of Fireworks, Novelties, and Theatrical Pyrotechnics, December 1, 2001 version into §173.56.
- (2) [Reserved]
- (gh) American Society of Mechanical Engineers, ASME International, 22 Law Drive, P.O. Box 2900, Fairfield, NJ 07007-2900, telephone 1-800-843-2763 or 1-973-882-1170, http://www.asme.org.
- (1) 'ASME Code'; ASME Code, Sections II (Parts A and B), V, VIII (Division 1), and IX of **2015** Edition of American Society of Mechanical Engineers Boiler and Pressure Vessel Code, into §§172.102; 173.5b;
- 173.24b; 173.32; 173.306; 173.315; 173.318; 173.420; 178.245-1; 178.245-3; 178.245-4; 178.245-6;
- 178.245-7; 178.255-1; 178.255-2; 178.255-14; 178.255-15; 178.270-2; 178.270-3; 178.270-7; 178.270-9;
- 178.270-11; 178.270-12; 178.271-1; 178.272-1; 178.273; 178.274; 178.276; 178.277; 178.320; 178.337-
- 1; 178.337-2; 178.337-3; 178.337-4; 178.337-6; 178.337-16; 178.337-18; 178.338-1; 178.338-2; 178.338-
- 3; 178.338-4; 178.338-5; 178.338-6; 178.338-13; 178.338-16; 178.338-18; 178.338-19; 178.345-1;
- 178.345-2; 178.345-3; 178.345-4; 178.345-7; 178.345-14; 178.345-15; 178.346-1; 178.347-1; 178.348-1; 179.400-3; 180.407.
- (2) ASME B31.4-2012 Edition, Pipeline Transportation Systems for Liquid Hydrocarbons and other Liquids, Chapters II, III, IV, V and VI, November 12, 2012, into §173.5a.
- (hi) American Society for Testing and Materials, ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959, telephone (610) 832-9585, http://www.astm.org. Copies of

- historical standards or standards that ASTM does not have may be purchased from: Engineering Societies Library, 354 East 47th Street, New York, NY 10017.
- (1) ASTM A20/A20M-14 Standard Specification for General Requirements for Steel Plates for Pressure Vessels, 2014, into §§178.337-2; 179.102-4; 179.102-1; 179.102-17.
- (2) ASTM A47/A47M-99(R2014) Malleable Iron Castings, 1999, into §179.200-15.
- (3) ASTM A53/A53M-12 Standard Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless, 2012, into §173.5b.
- (4) ASTM A106/A106M-14 Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service, 2014, into §173.5b.
- (5) ASTM A240/A240M-15 Standard Specification for Heat-Resisting Chromium and Chromium-Nickel Stainless Steel Plate, Sheet and Strip for Pressure Vessels, 2015, into §§178.57; 178.358-5; 179.100-7; 179.100-10; 179.102-1; 179.102-1; 179.102-17; 179.200-7; 179.201-5; 179.220-7; 179.300-7; 179.400-5.
- (6) ASTM A242**242M-13** Standard Specification for High-Strength Low-Alloy Structural Steel, **2013**, into §178.338-2.
- (7) ASTM A262-14 Standard Practices for Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, 2014, into 179.100-7; 179.200-7; 179.201-4.
- (8) ASTM A285/A285M-12 Pressure Vessel Plates, Carbon Steel, Low- and Intermediate-Tensile Strength, 2012, into §179.300-7.
- (9) ASTM A300-58 Steel Plates for Pressure Vessels for Service at Low Temperatures, 1958, into §178.337-2. (Withdrawn 1969)
- (10) ASTM A302/A302M-12 Standard Specification for Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum Nickel, 2012, into §179.100-7; 179.200-7; 179.220-7.
- (11) ASTM A333/A333M-13 Standard Specification for Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, 2013, into §178.45.
- (12) ASTM A370-14 Standard Test 179.102-1; 179.102-4; Methods and Definitions for Mechanical Testing of Steel Products, 2014, into §§179.102-17; 179.102-1; 179.102-4.
- (13) ASTM A441-81 Standard Specification for High-Strength Low-Alloy Structural Manganese Vanadium Steel, 1981, into §178.338-2. (Superseded By ASTM A572)
- (14) ASTM A514/514M-14 Standard Specification for High-Yield Strength Quenched and Tempered Alloy Steel Plate, Suitable for Welding, 2014, into §178.338-2.
- (15) ASTM A515/A515M-10 Standard Specification for Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher-Temperature Service, 2010, into §179.300-7.
- (16) ASTM A516/A516M-**10** Standard Specification for Pressure Vessel Plates, Carbon Steel, for Moderate and Lower-Temperature Service, **2010**, into §178.337-2; 179.100-7; 179.102-1; 179.102-2; 179.102-4; 179.102-17; 179.200-7; 179.220-7; 179.300-7.
- (17) ASTM A537/A537M-13 Standard Specification for Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, 2013, into §179.100-7; 179.102-4; 179.102-17.
- (18) ASTM A572/A572M-13A Standard Specification for High-Strength Low-Alloy Columbian-Vanadium Steels of Structural Quality, 2013A, into §178.338-2.
- (19) ASTM A588/A588M-10 Standard Specification for High-Strength Low-Alloy Structural Steel, Up To 50 KSI [345 MPA] Minimum Yield Point, With Atmospheric Corrosion Resistance, 2010, into §178.338-2.
- (20) ASTM A606A606M-09A Standard Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, With Improved Atmospheric Corrosion Resistance, 2009a, into §178.338-2.
- (21) ASTM A607-98 Standard Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Columbium or Vanadium, or Both, Hot-Rolled and Cold-Rolled, 1998, into §178.338-2. (Superseded By ASTM A1008/A1008M)

- (22) ASTM A612/A612M-12 Standard Specification for Pressure Vessel Plates, Carbon Steel, High Strength, For Moderate and Lower Temperature Service, 2012, into §178.337-2.
- (23) ASTM A633/A633M-13 Standard Specification for Normalized High-Strength Low-Alloy Structural Steel, **2013**, into §178.338-2.
- (24) ASTM A715-81 Standard Specification for Steel Sheet and Strip, Hot-Rolled, High-Strength, Low-Alloy with Improved Formability, 1981, into §178.338-2. (Superseded By ASTM A1008/A1008M & A1011/A1011M
- (25) ASTM A1008/A1008M-13 Standard Specification For Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy With Improved Formability, Solution Hardened, And Bake Hardenable, 2013, into §178.338-2; 178.345-2.
- (26) ASTM A1011/A1011M-14 Standard Specification for Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, And Ultra-High Strength, 2014, into §178.338-2; 178.345-2.
- (27) ASTM B162-**99(R2014)** Standard Specification for Nickel Plate, Sheet, and Strip, **1999**, into §173.249; 179.200-7.
- (28) ASTM B209-14 Standard Specification for Aluminum and Aluminum-Alloy Sheet and Plate, 2014, into §179.100-7; 179.200-7; 179.220-7.
- (29) ASTM B221-14 Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, 2014, into §178.46.
- (30) ASTM B557-14 Standard Test Methods For Tension Testing Wrought And Cast Aluminum- And Magnesium-Alloy Products, 2014, into §178.46.
- (31) ASTM B580-79 Standard Specification for Anodic Oxide Coatings on Aluminum, (Re-approved 2014), into §173.316; 173.318; 178.338-17.
- (32) ASTM D56-05, Standard Test Method for Flash Point by Tag Closed Cup Tester, approved May 1, 2005 (Re-approved 2010), into §173.120.
- (33) ASTM D86-12, Standard Test Method for Distillation of Petroleum Products at Atmospheric Pressure, 2012, into §173.121.
- (34) ASTM D93-13(2014 Errata), Standard Test Methods for Flash Point by Pensky-Martens Closed Cup Tester, 2013, into §173.120.
- (35) ASTM D1078-11, Standard Test Method for Distillation Range of Volatile Organic Liquids, 2011, into §173.121.
- (36) ASTM D1238-13 Standard Test Method for Melt Flow Rates Of Thermoplastics by Extrusion Plastometer, 2013, into §173.225.
- (37) ASTM D1709-**09** Standard Test Methods for Impact Resistance of Plastic Film by the Free-Falling Dart Method, 20**09**, into §173.197.
- (38) ASTM D1835-13 Standard Specification for Liquefied Petroleum (LP) Gases, 2013, into §180.209.
- (39) ASTM D1838-14 Standard Test Method for Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, 2014, into §173.315.
- (40) ASTM D1922-**09** Standard Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, **2009**, into §173.197.
- (41) ASTM D3278-96 (Reapproved 2011), Standard Test Methods for Flash Point of Liquids by Small Scale Closed-Cup Apparatus, approved November 1, 2004, into §173.120.
- (42) ASTM D3828-12a, Standard Test Methods for Flash Point by Small Scale Closed Cup Tester, 2012, §173.120.
- (43) ASTM D4206-96(Reapproved 2013) Standard Test Method for Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, 1996, into §173.120.
- (44) ASTM D4359-90(Reapproved 2012) Standard Test Method for Determining Whether a Material is a Liquid or a Solid, 1990 into §171.8.

- (45) ASTM E8/E8M-13A Standard Test Methods for Tension Testing of Metallic Materials, 2013, into §178.36; 178.37; 178.38; 178.39; 178.44; 178.45; 178.50; 178.51; 178.53; 178.55; 178.56; 178.57; 178.58; 178.59; 178.60; 178.61; 178.68.
- (46) ASTM E23-12C Standard Test Methods for Notched Bar Impact Testing of Metallic Materials, 2012, into §178.57.
- (47) ASTM E112-13 Standard Test Methods for Determining Average Grain Size, 2013, into §178.44.
- (48) ASTM E112-13 Standard Test Methods for Determining Average Grain Size, 2013, into §178.274; part 178, appendix A.
- (49) ASTM E114-10 Standard Practice for Ultrasonic Pulse-Echo Straight-Beam Examination by the Contact Method, 2010, into §178.45.
- (50) ASTM E213-14 Standard Practice for Ultrasonic Examination of Metal Pipe and Tubing, into §178.45.
- (51) ASTM E290-14 Standard Test Methods for Bend Testing of Material for Ductility, 2014, into §178.37. (ij) [Reserved]
- (jk) American Welding Society, 8669 NW. Le Jeune Road 36 Street, #130, Miami, Florida 33166.-6672
- (1) AWS Code B 3.0; Standard Qualification Procedure; 1972 (FRB 3.0-41, rev. May 1973), into
- §§178.356-2, 178.358-2. (Superseded by AWS B2.1/B2.1M Specification for Welding Procedure and Performance Qualification, 6th edition, 2014.)
- (2) AWS D1.1/D1.1M Structural Welding Code Steel (Updates Every 5 years), 22nd Edition, 2010 with 2011 errata, into §§178.356-2; 178.358-2.
- (kl) Association of American Railroads, American Railroads Building, 50 F Street NW., Washington, DC 20001; telephone (877) 999-8824, http://www.aar.org/publications.com.
- (1) AAR Manual of Standards and Recommended Practices, Section C—Part III, Specifications for Tank Cars, Specification M-1002, (AAR Specifications for Tank Cars), December 2000, §173.31; 179.6; 179.7;
- 179.15; 179.16; 179.20; 179.22; 179.100-9; 179.100-10; 179.100-12; 179.100-13; 179.100-14; 179.100-18; 179.101-1; 179.102-1; 179.102-1; 179.102-17; 179.103-5; 179.200-7; 179.200-9; 179.200-10;
- 179.200-11; 179.200-13; 179.200-17; 179.200-22; 179.201-6; 179.220-6; 179.220-7; 179.220-10;
- 179.220-11; 179.220-14; 179.220-18; 179.220-26; 179.300-9; 179.300-10; 179.300-15; 179.300-17;
- 179.220-11; 179.220-14; 179.220-18; 179.220-26; 179.300-9; 179.300-10; 179.300-15; 179.300-17; 179.400-15; 179.400-8; 179.400-11; 179.400-12; 179.400-15; 179.400-18; 179.400-20;
- 179.400-25; 180.509; 180.513; 180.515; 180.517.
- (2) AAR Manual of Standards and Recommended Practices, Section I, Specially Equipped Freight Car and Intermodal Equipment, 1988, into §174.55; 174.63.
- (3) AAR Specifications for Design, Fabrication and Construction of Freight Cars, Volume 1, 1988, into §179.16.
- (4) AAR Standard 286; AAR Manual of Standards and Recommended Practices, Section C, Car Construction Fundamentals and Details, Standard S-286, Free/Unrestricted Interchange for 286,000 lbs. Gross Rail Load Cars (Adopted 2002; Revised: 2003, 2005, 2006), into 179.13.
- (Im) Chlorine Institute, Inc., 1300 Wilson Boulevard, Arlington, VA 22209.
- (1) Chlorine Institute Emergency Kit "A" for 100-lb. & 150 lb. Chlorine Cylinders (with the exception of repair method using Device 8 for side leaks), Edition 10, June 2003, into 173.3.
- (2) Chlorine Institute Emergency Kit "B" for Chlorine Ton Containers (with the exception of repair method using Device 9 for side leaks), Edition 9, June 2003, into 173.3.
- (3) Type 1 JQ 225, Dwg., H51970, Revision F, November 1996, into §173.315.
- (4) Type 1 JQ 225, Dwg. H50155, Revision H, November 1996, into §173.315.
- (5) Section 3, Pamphlet 57, Emergency Shut-Off Systems for Bulk Transfer of Chlorine, Edition 4, October 2003, into §177.840.
- (6) Section 3, Pamphlet 166, Angle Valve Guidelines for Chlorine Bulk Transportation, 1st Edition, October 2002, into §178.337-9.
- (7) Standard Chlorine Angle Valve Assembly, Dwg. 104-8, July 1993, into §178.337-9.

- (8) Excess Flow Valve with Removable Seat, Dwg. 101-7, July 1993, into §178.337-8.
- (9) Excess Flow Valve with Removable Basket, Dwg. 106-6, July 1993, into §178.337-8.
- (10) Standards for Housing and Manway Covers for Steel Cargo Tanks, Dwgs. 137-1 and 137-2, September 1, 1982, into §178.337-10.
- (11) Typical Manway Arrangement Chlorine Cargo Tank, Dwg 137-5, November 1996, into 178.337-10. (mn) Canadian General Standards Board, Place du Portage III, 6B1 11 Laurier Street, Gatineau, Quebec, Canada K1A 1G6.
- (1) National Standard of Canada (CAN/CGSB 43.147—2005) Construction, Modification, Qualification, Maintenance, and Selection and Use of Means of Containment for the Handling, Offering for Transport, or Transportation of Dangerous Goods by Rail, into §171.12.
- (2) [Reserved]
- (no) Compressed Gas Association (CGA), 1235 Jefferson Davis Highway14501 George Carter Way, Suite 103, ArlingtonChantilly, VA 2220220151-1788.
- (1) CGA Pamphlet C-3, Standards for Welding on Thin-Walled Steel Cylinders, **7**th edition, **2005** (Reaffirmed **2011**), into §178.47; 178.50; 178.51; 178.53; 178.55; 178.56; 178.57; 178.58; 178.59; 178.60; 178.61; 178.65; 178.68; 180.211.
- (2) CGA C-5, Cylinder Service Life—Seamless Steel High Pressure Cylinders Wall Stress Requalification Criteria For High Pressure Seamless Steel Cylinders, 7th Edition, 2011, into §173.302a.
- (3) CGA Pamphlet-C-6, Standards for Visual Inspection of Steel Compressed Gas Cylinders, **11**th edition, **2013**, into §172.102, §173.3, 173.198, 180.205, 180.209, 180.211, 180.411, 180.519.
- (4) CGA Pamphlet-C-6.1, Standards for Visual Inspection of High Pressure Aluminum Compressed Gas Cylinders, 2002, Fourth Edition 6th edition, 2013, into §180.205; 180.209.
- (5) CGA Pamphlet C-6.2, Standard for Visual Inspection and Requalification of Fiber Reinforced High Pressure Cylinders, 1996, Third Edition 7th edition, 2013, into §180.205.
- (6) CGA Pamphlet-C-6.3, Standard for Visual Inspection of Low Pressure Aluminum Alloy Compressed Gas Cylinders, 3rd Edition, 2013, into §180.205; 180.209.
- (7) CGA C-7, Guide to Classification and Labeling of Compressed Gases, Appendix A, 10th edition, 2014, into §172.400a.
- (8) CGA Pamphlet-C-8, Standard for Requalification of DOT-3HT, CTC-3HT, and TC-3HTM Seamless Steel Cylinders, 2005(Reaffirmed 2010), into §180.205; 180.209.
- (9) CGA Pamphlet-C-11, Recommended Practices for Inspection of Compressed Gas Cylinders at Time of Manufacture, 5th edition, 2013, into §178.35.
- (10) CGA Pamphlet-C-12, Qualification Procedure for Acetylene Cylinder Design, **6**th **edition**, **2014**, into §173.301; 173.303; 178.59; 178.60.
- (11) CGA Pamphlet-C-13, Guidelines for Periodic Visual Inspection and Requalification of Acetylene Cylinders, **6**th **edition**, **2009**, into §173.303; 180.205; 180.209.
- (12) CGA Pamphlet-C-14, Procedures for Fire Testing of DOT Cylinder Pressure Relief Device Systems, 4th edition, 2005, into §173.301; 173.323.
- (13) CGA Pamphlet-G-2.2, Guideline Method for Determining Minimum of 0.2% Water in Anhydrous Ammonia, 1985, Second Edition, Reaffirmed 1997, into §173.315.
- (14) CGA Pamphlet G-4.1, Cleaning Equipment for Oxygen Service, 6th edition, 2009, into §178.338-15.
- (15) CGA Pamphlet P-20, Standard for the Classification of Toxic Gas Mixtures, 1995, into §173.115.
- (16) CGA Pamphlet P-20, Standard for the Classification of Toxic Gas Mixtures, 4th edition, 2009, into §173.115.
- (16) CGA P-26, Guidelines for Inspection and Repair of MC-330 and MC-331 Anhydrous Ammonia Cargo Tanks, 5th Edition, 1997, into §180.407; 180.413.
- (17) CGA S-1.1, Pressure Relief Device Standards—Part 1—Cylinders for Compressed Gases, (with the exception of paragraph 9.1.1.1), 14th Edition, 2011, into §173.301, 173.304a 178.75.

- (18) CGA Pamphlet-S-1.2, Safety Relief Device Standards Part 2—Cargo and Portable Tanks for Compressed Gases, 9th Edition, 2009, into §173.315; 173.318; 178.276; 178.277.
- (19) CGA S-7, Method for Selecting Pressure Relief Devices for Compressed Gas Mixtures in Cylinders, **5**th **Edition**, **2013**, into §173.301.
- (20) CGA Technical Bulletin TB-2, Guidelines for Inspection and Repair of MC-330 and MC-331 Cargo Tanks, 1980, into §180.407; 180.413. (Superseded by CGA P-26)
- (21) CGA Technical Bulletin-TB-25, Design Considerations for Tube Trailers, **3**rd **edition**, **2013**, into §173.301.
- (pp) Department of Defense (DOD), 2461 Eisenhower Avenue, Alexandria, VA 22331.
- (1) DOD TB 700-2; NAVSEAINST 8020.8B; AFTO 11A-1-47; DLAR 8220.1: Explosives Hazard Classification Procedures, January 1998, into §173.56.
- (2) Packaging of Hazardous Material, DLAD 4145.41/AR 700-143/AFJI 24-210/NAVSUPINST 4030.55B/MCO 4030.40B, January 14, 2000, into §173.7.
- (pg) [Reserved]
- (qr) General Services Administration, Specification Office, Room 6662, 7th, and D Street, S.W., Washington, DC 20407.
- (1) Federal Specification RR-C-901D, Cylinders, Compressed Gas: Seamless Shatterproof, High Pressure DOT 3AA Steel, and 3AL Aluminum, February 21, 2003, into §§173.302; 173.336; 173.337.
- (2) [Reserved]
- (rs) Institute of Makers of Explosives, 1120 19th Street NW., Suite 310, Washington, DC 20036-3605.
- (1) IME Standard 22, IME Safety Library Publication No. 22, Recommendations for the Safe Transportation of Detonators in a Vehicle with Certain Other Explosive Materials, February 2007, into §§173.63; 177.835.
- (2) [Reserved]
- (st) International Atomic Energy Agency (IAEA), P.O. Box 100, Wagramer Strasse 5, A-1400 Vienna, Austria. Also available from: Bernan Associates, 4611-F Assembly Drive, Lanham, MD 20706-4391, USA; or Renouf Publishing Company, Ltd., 812 Proctor Avenue, Ogdensburg, New York 13669, USA.
- (1) IAEA Safety Standards for Protecting People and the Environment; Regulations for the Safe Transport of Radioactive Material, No. SSR-6, (IAEA Regulations), 2012 Edition, into §§171.22; 171.23; 171.26; 173.415; 173.416; 173.417; 173.435; 173.473.
- (2) [Reserved]
- (‡u) International Civil Aviation Organization ("ICAO"), 999 University Street, Montréal, Quebec H3C 5H7, Canada, 1-514-954-8219, http://www.icao.int. ICAO Technical Instructions available from: INTEREG, International Regulations, Publishing and Distribution Organization, P.O. Box 60105, Chicago, IL 60660.
- (1) Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO Technical Instructions), 2015-2016 Edition, copyright 2014, into §§171.8; 171.22; 171.23; 171.24; 172.101; 172.202; 172.401; 172.512; 172.519; 172.602; 173.56; 173.320; 175.10, 175.33; 178.3.
- (2) [Reserved]
- (uv) International Electrotechnical Commission (IEC), 3 rue de Varembé, P.O. Box 131, CH—1211, GENEVA 20, Switzerland.
- (1) IEC 62282-6-100:2010(E), Fuel Cell Technologies—Part 6-100: Micro Fuel Cell Power Systems—Safety, Edition 1.0, March 2010, into §§173.230; 175.10.
- (2) 62282-6-100 Amend. 1 IEC 2012(E), Amendment 1 to IEC 62282-6-100: Fuel cell technologies—Part 6-100: Micro fuel cell power systems—Safety, Edition 1.0, October 2012, into §§173.230; 175.10 (\(\frac{\pmathbf{w}}{\pmathbf{w}}\)) International Maritime Organization ("IMO"), 4 Albert Embankment, London, SE1 7SR, United Kingdom or New York Nautical Instrument & Service Corporation, 140 West Broadway, New York, NY 10013, +44 (0) 20 7735 7611, http://www.imo.org.

- (1) International Convention for the Safety of Life at Sea, 1974, Consolidated Edition (SOLAS), Chapter II-2, Construction—Fire protection, fire detection and fire extinction, Regulation 19, Carriage of dangerous goods, Fifth Edition 2009, into §§176.63, 176.84.
- (2) International Maritime Dangerous Goods Code (IMDG Code), Incorporating Amendment 37-14 (English Edition), 2014 Edition, into §§171.22; 171.23; 171.25; 172.101; 172.202; 172.203 172.401; 172.502; 172.519; 172.602; 173.21; 173.56; 176.2; 176.5; 176.11; 176.27; 176.30; 176.83; 176.84; 176.140; 176.720; 178.3; 178.274.
- (w) International Organization for Standardization, Case Postale 56, CH-1211, Geneve 20, Switzerland, http://www.iso.org. Also available from: ANSI 25, West 43rd Street, New York, NY 10036, 1-212-642-4900, http://www.ansi.org.
- (1) ISO 535-**2014** Paper and Board—Determination of Water Absorptiveness—Cobb Method, 1991, into §§178.516; 178.707; 178.708.
- (2) ISO 1496-1: **2013**—Series 1 Freight Containers—Specification And Testing, Part 1: General Cargo Containers. **6**th Edition, (**July 1**, **2013**), into §173.411.
- (3) ISO 1496-3:2006(A1)—Series 1 Freight Containers—Specification and Testing—Part 3: Tank Containers for Liquids, Gases and Pressurized Dry Bulk, Fourth edition, March 1995, into §§178.74; 178.75; 178.274.
- (4) ISO 1516:2002(E), Determination Of Flash/No Flash—Closed Cup Equilibrium Method, Third Edition, 2002-03-01, into §173.120.
- (5) ISO 1523:2002(E), Determination of Flash Point—Closed Cup Equilibrium Method, Third Edition, 2002-03-01, into §173.120.
- (6) ISO 2431-2011 Paints and Varnishes Determination of Flow Time By Use of Flow Cups, 2011, into §173.121.
- (7) ISO 2592:2000(E), Determination of Flash and Fire Points—Cleveland Open Cup Method, Second Edition, 2000-09-15, into §173.120.
- (8) ISO 2719:2002(E), Determination Of Flash Point—Pensky-Martens Closed Cup Method, Third Edition, 2002-11-15, into §173.120.
- (9) ISO 2919:**2012**, Radiation Protection—Sealed Radioactive Sources—General Requirements and Classification, **3**rd edition, February 15, **2012**, into §173.469.
- (10) ISO 3036-1975(E) Board—Determination of Puncture Resistance, 1975, into §178.708.
- (11) ISO 3405:**2011**, Petroleum Products—Determination of Distillation Characteristics at Atmospheric Pressure, **4**th Edition, **2011-01-15**, into §173.121.
- (12) ISO 3574-**2012** Cold-Reduced Carbon Steel Sheet of Commercial and Drawing Qualities, **5**th **edition**, **2012**, into §178.503; Part 178, appendix C.
- (13) ISO 3679:2004(E), Determination of Flash Point—Rapid Equilibrium Closed Cup Method, Third Edition, 2004-04-01, into §173.120.
- (14) ISO 3680:2004(E), Determination of Flash/No Flash—Rapid Equilibrium Closed Cup Method, Fourth Edition, 2004-04-01, into §173.120.
- (15) ISO 3807-2(E):2013, Gas Cylinders Acetylene Cylinders Basic Requirements and Type Testing, 2^{nd} edition, 2013, into §§173.303; 178.71.
- (16) ISO 3924:**2010**, Petroleum Products—Determination Of Boiling Range Distribution—Gas Chromatography Method, **3**rd Edition, **2010-02-15**, into §173.121.
- (17) ISO 4126-1:**2013**: Safety Devices for Protection against Excessive Pressure—Part 1: Safety Valves, **3**rd edition **2013-07-15**, into §178.274.
- (18) ISO 4126-7:**2013**: Safety Devices for Protection against Excessive Pressure—Part 7: Common Data, **2013** Edition **2013-07-15** into §178.274.
- (19) ISO 4126-7:2004/Cor.1:2006(E): Safety devices for protection against excessive pressure—Part 7: Common data, Technical Corrigendum 1, 2006-11-01, into §178.274.

- (20) ISO 4626:1980(E), Volatile Organic Liquids—Determination Of Boiling Range Of Organic Solvents Used As Raw Materials, First Edition, 1980-03-01, into §173.121.
- (21) ISO 4706:2008(E), Gas Cylinders—Refillable Welded Steel Cylinders—Test Pressure 60 Bar and Below, First Edition, 2008-04-15, Corrected Version, 2008-07-01, into §178.71.
- (22) ISO 6406(E), Gas Cylinders—Seamless Steel Gas Cylinders—Periodic Inspection and Testing, Second edition, February 2005, into §180.207.
- (23) ISO 6892 Metallic materials—Tensile testing, July 15, 1984, First Edition, into §178.274. (Please adopt current Part or Parts of ISO 6892)
- (24) ISO 7225:**2012(A1)**, Gas Cylinders—Precautionary Labels, Second Edition, **September 2012**, into §178.71.
- (25) ISO 7866:**2012/Cor.1:2014**(E), Gas Cylinders—Refillable Seamless Aluminum Alloy Gas Cylinders—Design, Construction and Testing, **Technical Corrigendum 1, 2**nd Edition, **April 2014**, into §178.71.
- (26) ISO 8115 Cotton bales—Dimensions and density, 1986 Edition, into §172.102.
- (27) ISO 9809-1:1999(E): Gas cylinders—Refillable seamless steel gas cylinders—Design, construction and testing—Part 1: Quenched and tempered steel cylinders with tensile strength less than 1100 MPa., First edition, June 1999, into §§178.37; 178.71; 178.75.
- (28) ISO 9809-1:2010(E): Gas Cylinders—Refillable Seamless Steel Gas Cylinders—Design, Construction and Testing—Part 1: Quenched and Tempered Steel Cylinders with Tensile Strength Less than 1100 MPA, Second edition, 2010-04-15, into §§178.37; 178.71; 178.75.
- (29) ISO 9809-2:2000(E): Gas cylinders—Refillable seamless steel gas cylinders—Design, construction and testing—Part 2: Quenched and tempered steel cylinders with tensile strength greater than or equal to 1-100 MPa, First edition, June 2000, into §§178.71; 178.75.
- (30) ISO 9809-2:2010(E): Gas Cylinders—Refillable Seamless Steel Gas Cylinders—Design, Construction and Testing—Part 2: Quenched and Tempered Steel Cylinders with Tensile Strength Greater Than or Equal To 1100 MPA, Second edition, 2010-04-15, into §§178.71; 178.75.
- (31) ISO 9809-3:2000(E): Gas cylinders—Refillable seamless steel gas cylinders—Design, construction and testing—Part 3: Normalized steel cylinders, First edition, December 2000, into §§178.71; 178.75.
- (32) ISO 9809-3:2010(E): Gas cylinders—Refillable Seamless Steel Gas Cylinders—Design, Construction and Testing—Part 3: Normalized Steel Cylinders, Second edition, 2010-04-15, into §§178.71; 178.75.
- (33) ISO 9978:1992(E)—Radiation Protection—Sealed Radioactive Sources—Leakage Test Methods. First Edition, (February 15, 1992), into §173.469.
- (34) ISO 10156:2010(E): Gases and Gas Mixtures—Determination of Fire Potential and Oxidizing Ability for the Selection of Cylinder Valve Outlets, Third edition, 2010-04-01, into §173.115.
- (35) ISO 10156:2010/Cor.1:2010(E): Gases And Gas Mixtures—Determination Of Fire Potential And Oxidizing Ability For The Selection Of Cylinder Valve Outlets, Technical Corrigendum 1, 2010-09-01, into §173.115.
- (36) ISO 10297:1999(E), Gas Cylinders—Refillable Gas Cylinder Valves—Specification And Type Testing, First Edition, 1995-05-01, into §§173.301b; 178.71.
- (37) ISO 10297:2014(E), Transportable Gas Cylinders—Cylinder Valves—Specification And Type Testing, 3rd Edition, 2014-07-15, into §§173.301b; 178.71.
- (38) ISO 10461:2005(E), Gas cylinders—Seamless aluminum-alloy gas cylinders—Periodic inspection and testing, Second Edition, 2005-02-15 and Amendment 1, 2006-07-15, into §180.207.
- (39) ISO 10462:**2013**(E), Gas Cylinders—Transportable Cylinders for Dissolved Acetylene—Periodic Inspection and Maintenance, **3**rd Edition, **December 2013**, into §180.207.
- (40) ISO 10692-2:2001(E), Gas Cylinders—Gas Cylinder Valve Connections For Use In The Micro-Electronics Industry—Part 2: Specification And Type Testing For Valve To Cylinder Connections, First Edition, 2001-08-01, into §§173.40; 173.302c.

- (41) ISO 11114-1:2012(E), Gas Cylinders—Compatibility of Cylinder and Valve Materials with Gas Contents—Part 1: Metallic Materials, Second Edition, 2012-03-15, into §§173.301b; 178.71.
- (42) ISO 11114-2:**2013**(E), Transportable Gas Cylinders—Compatibility of Cylinder and Valve Materials with Gas Contents—Part 2: Non-Metallic Materials, **2**nd Edition, **April 2013**, into §§173.301b; 178.71.
- (43) ISO 11117:1998(E): Gas Cylinders—Valve Protection Caps and Valve Guards for Industrial and Medical Gas Cylinders.—Design, Construction and Tests, First edition, 1998-08-01, into §173.301b.
- (44) ISO 11117:2008/Cor.1:2009, Gas Cylinders—Valve Protection Caps and Valve Guards—Design, Construction and Tests, Second edition, 2008-09-01 and Technical Corrigendum 1, 2009-05-01, into §173.301b.
- (45) ISO 11117:2008/Cor.1:2009(E): Gas cylinders—Valve protection caps and valve guards—Design, construction and tests, Technical Corrigendum 1, 2009-05-01, into §173.301b.
- (46) ISO 11118(E), Gas cylinders—Non-refillable metallic gas cylinders—Specification and test methods, First edition, October 1999, into §178.71.
- (47) ISO 11119-1:2012(E), Gas Cylinders Refillable Composite Gas Cylinders And Tubes Design, Construction And Testing Part 1: Hoop Wrapped Fibre Reinforced Composite Gas Cylinders And Tubes Up To 450 L, 2nd edition, August 2012, into §178.71.
- (48) ISO 11119-2:2012(E), Gas Cylinders Refillable Composite Gas Cylinders And Tubes Design, Construction And Testing Part 2: Fully Wrapped Fibre Reinforced Composite Gas Cylinders And Tubes Up To 450 L With Load-Sharing Metal Liners, 2nd edition, 2012-07-15 and amendment 1, 2014-08-15, into §178.71.
- (49) ISO 11119-3(E), Gas Cylinders Refillable Composite Gas Cylinders And Tubes Part 3: Fully Wrapped Fibre Reinforced Composite Gas Cylinders And Tubes Up To 450L With Non-Load-Sharing Metallic Or Non-Metallic Liners, First edition, September 2002, into §178.71.
- (50) ISO **FDIS** 11120:**2014**(E), Gas Cylinders—Refillable Seamless Steel Tubes Of Water Capacity Between 150 L and 3000 L—Design, Construction and Testing, **2014**, into §§178.71; 178.75.
- (51) ISO 11513:2011(E), Gas Cylinders—Refillable Welded Steel Cylinders Containing Materials for Sub-Atmospheric Gas Packaging (Excluding Acetylene)—Design, Construction, Testing, Use and Periodic Inspection, First edition, 2011-09-12, into §§173.302c; 178.71; 180.207.
- (52) ISO 11621(E), Gas Cylinders—Procedures for Change of Gas Service, First edition, April 1997, into §§173.302, 173.336, 173.337.
- (53) ISO 11623(E), Transportable Gas Cylinders—Periodic Inspection and Testing of Composite Gas Cylinders, First edition, March 2002, into §180.207.
- (54) ISO 13340:2001(E) Transportable Gas Cylinders—Cylinder Valves for Non-Refillable Cylinders—Specification and Prototype Testing, First edition, 2004-04-01, into §§173.301b; 178.71.
- (55) ISO 13736:**2013**(E), Determination of Flash Point—Abel Closed-Cup Method, **3**rd Edition, **2013-04**-15, into §173.120.
- (56) ISO 16111:2008(E), Transportable Gas Storage Devices—Hydrogen Absorbed In Reversible Metal Hydride, First Edition, 2008-11-15, into §§173.301b; 173.311; 178.71.
- (57) ISO 18172-1:2007(E), Gas Cylinders—Refillable Welded Stainless Steel Cylinders—Part 1: Test Pressure 6 MPA and Below, First Edition, 2007-03-01, into §178.71.
- (58) ISO 20703:2006(E), Gas Cylinders—Refillable Welded Aluminum-Alloy Cylinders—Design, Construction and Testing, First Edition, 2006-05-01, into §178.71.
- (x) National Board of Boiler and Pressure Vessel Inspectors, 1055 Crupper Avenue, Columbus, Ohio 43229.
- (1) NB-23, National Board Inspection Code, A Manual for Boiler and Pressure Vessel Inspectors, **2015** Edition, into §180.413.
- (2) [Reserved]

- (y) National Fire Protection Association, 1 Batterymarch Park, Quincy, MA, 02169-7471 1-617-770-3000, http://www.nfpa.org.
- (1) NFPA 58-Liquefied Petroleum Gas Code, 2014 Edition, into §§173.5, 173.315.
- (2) NFPA 498-Standards for Safe Havens and Interchange Lots for Vehicles Transporting Explosives, **2013** Edition, into §177.835.
- (z) National Institute of Standards and Technology, Department of Commerce, 5285 Port Royal Road100 Bureau Drive, Stop 1070, SpringfieldGaithersburg, VA 22151MD 20899-1070.
- (1) USDC, NBS Handbook H-28 (1957), 1957 Handbook of Screw-Thread Standards for Federal Services, December 1966 Edition, into §§179.2; 178.45; 178.46.
- (2) [Reserved]
- (aa) Organization for Economic Cooperation and Development (OECD), OECD Publications and Information Center, 2001 L Street, N.W., Suite 700, Washington, DC 20036.
- (1) Test No. 404: Acute Dermal Irritation/Corrosion, OECD Guidelines for the Testing of Chemicals, Section 4: Health Effects, adopted April 24, 2002, into §173.137.
- (2) Test No. 430: In VitroSkin Corrosion: Transcutaneous Electrical Resistance Test (TER), OECD Guidelines for the Testing of Chemicals, Section 4: Health Effects, adopted April 13, 2004, into §173.137.
- (3) OECD (2004), Test No. 431: In VitroSkin Corrosion: Human Skin Model Test, OECD Guidelines for the Testing of Chemicals, Section 4: Health Effects, OECD Publishing, adopted April 13, 2004, into §173.137.
- (4) Test No. 435: In VitroMembrane Barrier Test Method for Skin Corrosion, OECD Guidelines for the Testing of Chemicals, Section 4: Health Effects, adopted July 19, 2006, into §173.137.
- (bb) Transport Canada, TDG Canadian Government Publishing Center, Supply and Services, Canada, Ottawa, Ontario, Canada K1A 059, 416-973-1868, http://www.tc.gc.ca.
- (1) Transportation of Dangerous Goods Regulations (Transport Canada TDG Regulations), into §§171.12; 171.22; 171.23; 172.401; 172.502; 172.519; 172.602; 173.31; 173.32; 173.33.
- (i) SOR 2001-286, including Clear Language Amendments, August 2001.
- (ii) SOR/2002-306 August 8, 2002.
- (iii) SOR/2003-273 July 24, 2003
- (iv) SOR/2003-400 December 3, 2003
- (v) SOR/2005-216 July 13, 2005
- (vi) SOR/2005-279 September 21, 2005
- (vii) SOR/2008-34 February 7, 2008
- (viii) SOR/2007-179 July 31, 2007
- (ix) SOR/2011-239 November 9, 2011.
- (x) SOR/2011-60 March 16, 2011.
- (xi) SOR/2011-210 October 12, 2011.
- (xii) SOR/2012-245 December 5, 2012.
- (2) [Reserved]
- (cc) Truck Trailer Manufacturers Association, 1020 Princess Street**7001 Herigtae Village Plaza**, Alexandria**Gainesville**, Virginia 2231420155.
- (1) TTMA RP No. 61-98, Performance Of Manhole And/or Fill Opening Assemblies On MC 306, DOT 406, Non-ASME MC 312 And Non-ASME DOT 412 Cargo Tanks, June 1, 1998, into §180.405.
- (2) TTMA RP No. 81-97, Performance of Spring Loaded Pressure Relief Valves on MC 306, MC 307, MC 312, DOT 406, DOT 407, and DOT 412 Tanks, July 1, 1997 Edition, into §§178.345-10; 178.346-3.
- (3) TTMA TB No. 107, Procedure for Testing In-Service Unmarked and/or Uncertified MC 306 and Non-ASME MC 312 Type Cargo Tank Manhole Covers, June 1, 1998 Edition, into §180.405.
- (dd) United Nations, Publications, 2 United Nations Plaza, Room DC2-853, New York, NY 10017, 1-212-963-8302, http://unp.un.org.

- (1) UN Recommendations on the Transport of Dangerous Goods, Model Regulations (UN Recommendations), 18th revised edition, Volumes I and II (2013), into §§171.8; 171.12; 172.202; 172.401; 172.407; 172.502; 173.22; 173.24; 173.24b; 173.40; 173.56; 173.192; 173.302b; 173.304b; 178.75; 178.274.
- (2) UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, (Manual of Tests and Criteria), into §§171.24, 172.102; 173.21; 173.56; 173.57; 173.58; 173.60; 173.115; 173.124; 173.125; 173.127; 173.128; 173.137; 173.185; 173.220; 173.225, part 173, appendix H; 178.274:
- (i) Fifth revised edition (2009).
- (ii) Fifth revised edition, amendment 1 (2011).
- (iii) Fifth revised edition, amendment 2 (2013).