# **SECOND PRINTING (Updated August 9, 2007)**

# CHAPTER 2 DEFINITIONS

**CHANGE OF OCCUPANCY.** <u>A change</u> in the purpose or level... (no change to remainder of definition) *(posted 8-22-07)* 

#### FIRST PRINTING (Updated August 9, 2007)

# CHAPTER 3 PRESCRIPTIVE COMPLIANCE METHOD

- [B] 303.2.3 302.2.3 (no change to remainder of section) (posted 8-10-07)
- [B] 303.2.3.1 302.2.3.1 (no change to remainder of section) (posted 8-10-07)
- [B] 303.2.3.2 302.2.3.2 (no change to remainder of section) (posted 8-10-07)
- [B] 302.2.5 302.2.4 (no change to remainder of section) (posted 4-10-07)
- [B] 302.2.6 302.2.5 (no change to remainder of section) (posted 4-10-07)
- **308.1 Scope.** The provisions of Sections 308.1 through 308.8 308.9 apply to .....(no change to remainder of section) (posted 4-10-07)

**308.8.7 Dwelling or sleeping units.** ... Type A units and Chapter 9 of the *International Building Code* for accessible alarms... (no change to remainder of section) *(posted 4-10-07)* 

# **SECOND PRINTING (Updated August 9, 2007)**

# CHAPTER 4 CLASSIFICATION OF WORK

**402.3 Related work.** Work on nondamaged......provisions of Chapter 6, 7, <u>8,</u> 9 or 10...(no change to remainder of section) (posted 8-22-07)

# FIRST PRINTING (Updated April 9, 2007)

# CHAPTER 5 REPAIRS

**506.2.2.3 Extent of repair for noncompliant buildings.** If the evaluation does not establish compliance of the predamaged building in accordance with Section 507.2.2.1 506.2.2.1, then the building .... (no change to remainder of section) *(posted 4-10-07)* 

### **SECOND PRINTING (Updated August 9, 2007)**

#### CHAPTER 8 ALTERATIONS – LEVEL 3

**807.5.2 Substantial structural alterations.** Where more than 30 percent of the...seismic forces as specified in Section  $\frac{507.1.1.3}{506.1.1.1}$  for seismic loading. For seismic considerations, the analysis shall be...specified in Section  $\frac{507.1.1.1}{506.1.1.1}$ . (no change to remainder of section) (posted 8-22-07)

### **SECOND PRINTING (Updated August 9, 2007)**

# CHAPTER 9 CHANGE OF OCCUPANCY

907.3.1 Compliance with the International Building Code. (no change to section)

# **Exceptions:**

- 1. (no change to exception 1)
- 2. Specific detailing provisions...forces as specified in Section 507.1.1.3 506.1.1.3. (no change to remainder of exception 2)

(no change to exceptions 3 and 4) (posted 8-22-07)

### FIRST PRINTING (Updated April 9, 2007)

# CHAPTER 9 CHANGE OF OCCUPANCY

**912.8 Accessibility.** Existing buildings or portions thereof that undergo a change of group or occupancy classification shall have all of the following accessible features:

(no change to items 1 through 6)

.... maximum extent technically feasible. Changes of group of occupancy that incorporated any alterations shall comply with this section and Sections 506.1 and 905.1 and 905.1 as applicable. (no change to remainder of section) (posted 4-10-07)

# **SECOND PRINTING (Updated August 9, 2007)**

# CHAPTER 10 ADDITIONS

**1001.3 Other work.** Any repair or alteration work...as classified in Chapter  $3 \underline{4}$ .(no change to remainder of section) (posted 8-22-07)

#### FIRST PRINTING (Updated April 9, 2007)

#### CHAPTER 11 HISTORIC BUILDINGS

**1102.4 Chapter 4** <u>5</u> **compliance** Historic building undergoing repairs shall comply with all of the applicable requirements of Chapter 4 <u>5</u>, except as specifically permitted in this chapter. (posted 4-10-07)

**1102.5 Replacement.** Replacement of ... shall be permitted. Such replacements shall not be required to meet the materials and methods requirements of Section 401.2 501.2.

(no change to remainder of section) (posted 4-10-07)

**1104.1 Accessibility requirements.** The provisions ... unless technically infeasible. Where compliance with the requirements of accessible routes, ramps, entrances, or ... the alternative requirements of Sections 1104.1.1 through 1104.1.5 1104.1.4 for that element shall be permitted.

(no change to remainder of section) (posted 4-10-07)

#### FIRST PRINTING (Updated April 9, 2007)

# CHAPTER 13 PERFORMANCE COMPLIANCE METHODS

#### TABLE 1301.6.17 STANDPIPE SPRINKLER SYSTME VALUES

(no change to table)

a. These options cannot be taken if Category a in Section 1201.6.18 is used. (posted 4-10-07)

#### **TABLE 1301.6.18 STANDPIPE SYSTEM VALUES**

(no change to table)

a. These options cannot be taken if Category a OR Category b in Section 1201.6.17 1301.6.17 is used. (posted 4-10-07)

**1301.6.19 Incidental use.** Evaluate the protection of incidental use areas in accordance with Section 508.7 508.2 of the *International Building Code*. (no change to remainder of section) (posted 4-10-07)

1301.9.1 Mixed occupancies. For mixed occupancies, the following provisions shall apply:

1. ... in Table 1301.8 shall be utilized. (See Section 1201.6 1301.6)

(no change to remainder of section) (posted 4-10-07)

# FIRST PRINTING (Updated April 9, 2007)

#### CHAPTER 15 REFERENCED STANDARDS

# **ASME**

A17.1 Safety Code for Elevator and Escalators with A17.1a-2005 addenda and A17.1S Supplement 2005 (posted 4-10-07)