

2009 International Plumbing Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st through 5th PRINTING (Posted: September 13, 2012)

CHAPTER 4 FIXTURES, FAUCETS AND FIXTURE FITTINGS

410.1 Approval. Drinking fountains shall conform to ASME A112.19.1M, ASME A112.10.2M or ASME A112.19.9M and water coolers shall conform to ~~ARI~~ AHRI 1010.

2009 International Plumbing Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st through 5th PRINTING (Posted: 06-06-12)

CHAPTER 4 FIXTURES, FAUCETS AND FIXTURE FITTINGS

Table 403.1

TABLE 403.1 MINIMUM NUMBER OF REQUIRED PLUMBING FIXTURES (See Sections 403.2 1.1 and 403.3 2)

Correction is applicable to title shown on multiple pages.

International Plumbing Code

CHAPTER 4

Table 403.1, add margin bar for the term “FOUNTAIN^{e,f}” in the table header

2009 International Plumbing Code Errata

FIRST PRINTING (Updated September 7, 2010)

CHAPTER 9

Section 916.5...in accordance with Sections 916.5.1 and ~~917.6.2~~ 916.5.2.

2009 International Plumbing Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st through 4th PRINTING (Posted: August 11, 2011)

CHAPTER 10 TRAPS, INTERCEPTORS AND SEPARATORS

1003.4.2.2 Garages and service stations.area to be drained, plus 1 cubic foot (0.028 m³) for each....

CHAPTER 11

Section 1107.3....primary system is sized in Tables 1106.2(1), 1106.2(2), 1106.3 and 1106.6....

CHAPTER 13

ANSI Table

~~A118.10- 40-99~~

ASME Table

~~A112.6.3--2001~~(Reaffirmed 2007)

ASSE Table

~~ASSE 1072-06 Performance Requirements for Barrier type Floor Drain Trap Seal Protection Devices—1002.4~~

5052-98312.10.2.

ASTM Table

~~C508—00~~(2004)”

~~F 2262-03~~5

CSA Table

B125.1/ ASME A112.18.1--05 Plumbing Supply Fittings....424.1,424.2, 424.3, 607.4, 608.2

B125.2/ASME A112.18.2—05 Plumbing Waste Fittings....424.1.2

CHAPTER 13

ICC Table

IBC-09.....417.6, 502.6~~4~~, 606.5.2.....

APPENDIX B

Tennessee

Chattanooga.....03.5

2009 International Plumbing Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st through 6th PRINTING (Posted: 11-11-13)

APPENDIX E SIZING OF WATER PIPING SYSTEM

FIGURE E103.3(7)

FRICTION LOSS IN FAIRLY ROUGH PIPE^a

2009 International Plumbing Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st through 5th PRINTING (November 12, 2012)

APPENDIX E SIZING OF WATER SUPPLY PIPING

Table E103.3(1) Line D, Column 1 Tap in main loss (Table E103A E103.3(4))

International Plumbing Code

APPENDIX E

Table AE201.1, upper table, last row, 2nd column from right, ~~353~~ 533