

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 8-30-12)
--

CHAPTER 1 SCOPE AND ADMINISTRATION

106.12 Special inspections. Special inspectionsin accordance with Sections ~~404.11.6~~ 106.12.1 and 106.12.2.

106.13 ~~12.1~~ 12.1 Periodic inspection.

106.14 ~~12.2~~ 12.2 Written report.

106.15 ~~13~~ 13 Testing.

106.16 ~~14~~ 14 New, altered, extended or repaired systems.

106.17 ~~15~~ 15 Equipment, material and labor for tests.

106.18 ~~16~~ 16 Reinspection and testing.

106.19 ~~17~~ 17 Approval.

106.19.1 ~~17.1~~ 17.1 Revocation.

106.20 ~~18~~ 18 Temporary connection.

106.21 ~~19~~ 19 Connection of service utilities

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (October 19, 2012)

CHAPTER 2 DEFINITIONS

SPRAY POOL. A pool or basin occupied by ~~constructed~~ construction features....

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (October 3, 2012)

CHAPTER 3 GENERAL COMPLIANCE

FIGURE 322.2




FIGURE 322.2
MINIMUM DIVING WATER ENVELOPE

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 08-01-12)

CHAPTER 3 GENERAL COMPLIANCE

312.3.1 Air release. Filters incorporating an automatic means of internal air release as the principal means of air release shall have one or more lids that provide a slow and safe release of pressure as a part of the design and shall have ~~an~~ a manual air release in addition to an automatic release.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (07-11-2012)

CHAPTER 3 GENERAL COMPLIANCE

304.2 Determination of impacts based on location. *Aquatic vessels....*

Exception: *Aquatic vessels....and aquatic vessels located in flood hazard areas....*

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st and 2nd PRINTING (Posted: June 27, 2013)

CHAPTER 4 PUBLIC SWIMMING POOLS

L402.8 Location of diving equipment. Manufactured and fabricated diving equipment shall be located so that the tip of the board or platform is located directly above Point A as defined by Section ~~402.7~~ 402.5.

402.10 Platform height above waterline. The height of an *approved* stationary diving apparatus, platform, or diving rock above the design *waterline* shall not exceed the limits of the manufacturer's specifications ~~of~~ or the limits of the design prepared by a design professional.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 08-01-12)

CHAPTER 4 PUBLIC SWIMMING POOLS

401.5 Floor slope. Except where required to meet the accessibility requirements in accordance with Section ~~323.4~~ 307.9, the slope.....

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 06-06-2012)

CHAPTER 4 PUBLIC SWIMMING POOLS

409.2 Depth markers. Depth markers shall be provided in accordance with Sections ~~416.2.4~~ 409.2.1 through ~~416.2.8~~ 409.2.8.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (September 27, 2012)

CHAPTER 6 AQUATIC RECREATION FACILITIES

610.4 Beach entry, zero-depth entry and sloping entries. The shallow end for beach entries and sloping entries shall be in accordance with Sections 610.1 through 610.4.4 or the regulations of the local *jurisdiction*.

610.4.4.3 Steps. Where steps are used in conjunction with sloping entries, all of the requirements of Section ~~605.5.6~~ 610.5 shall apply.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 08-01-12)

CHAPTER 6 AQUATIC RECREATION FACILITIES

611.9 Theeeming and artwork.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (07-11-2012)

CHAPTER 6 AQUATIC RECREATION FACILITIES

603.1 Markings. Markings areas of deep water shall comply with Sections ~~606.9 and 606.9-1~~ 409.2 except where the function of the pool dictates otherwise.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (September 27, 2012)

CHAPTER 7 ONGROUND STORABLE RESIDENTIAL SWIMMING POOLS

FIGURE 702.3 TYPICAL ~~IN-POOL~~ STAIRCASE LADDER TYPE C

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (October 3, 2012)

CHAPTER 8 PERMANENT INGROUND RESIDENTIAL SWIMMING POOLS

801.1 Scope. The provisions.....modification or *repair and of residential aquatic vessels*.

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 4-27-13)

CHAPTER 11 REFERENCED STANDARDS

AHRI

1160-09 8 Performance Rating....

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (Posted: 08-01-12)

CHAPTER 11 REFERENCE STANDARDS

ASTM

D 2241—09 Standard Specification for Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series)
Table 311.4

2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st PRINTING (07-11-2012)

CHAPTER 11 REFERENCED STANDARDS

CSA

CSA B137.2-05

CSA B137.3-05

CSA B137.6-05